

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20020091655").PN.	US-PGPUB	OR	OFF	2005/11/09 10:24
L2	0	((map\$4 or match\$3) and (dimension\$2 near2 pattern) and (dimension\$2 near space) and (neur\$4 near network) and (select\$3 near "k patterns") and ("m-dimensional" with train\$3) and ("n-dimensional reference") and disjoint and (train\$3 near independent)).CLM.	US-PGPUB	OR	ON	2005/11/09 10:34
L3	2	((("20020099675") or ("20030195897")).PN.	US-PGPUB	OR	OFF	2005/11/09 11:07
L4	0	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:39
L5	1722	(706/2,6,14-18,20,48,62).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/09 11:40
L6	762	(382/224-225).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/11/09 11:40
L7	2457	5 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:40
L8	1586	7 and (@ad<"20000322" or @riad<"20000322")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:48
L9	3	((map\$4 or match\$3 or compar\$4 or correlat\$3 or relat\$7) near "input patterns") with (dimension\$3 near space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:55
L10	1	9 and disjoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:55
L11	55	8 and disjoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:56

L12	2	11 and (train\$3 near set) and ("disjoint cluster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 11:57
-----	---	--	---	----	----	------------------

# Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20020091655").PN.	US-PGPUB	OR	OFF	2005/11/09 10:24
L2	0	((map\$4 or match\$3) and (dimension\$2 near2 pattern) and (dimension\$2 near space) and (neur\$4 near network) and (select\$3 near "k patterns") and ("m-dimensional" with train\$3) and ("n-dimensional reference") and disjoint and (train\$3 near independent)).CLM.	US-PGPUB	OR	ON	2005/11/09 10:32